

## Table ENG-6. - Sanitary Facilities

Prince Edward County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Aa:							
Altavista	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Too clayey	0.50			Too clayey	0.50
Roanoke		Not Rated		Not Rated		Not Rated	
Ab:							
Appling	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Hard to compact	0.50
Ac:							
Appling	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Hard to compact	0.50
		Slope	0.16			Slope	0.16
Ad:							
Appling	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Hard to compact	0.50
Ae:							
Appling	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Hard to compact	0.50
Af:							
Appling	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Hard to compact	0.50
		Slope	0.16			Slope	0.16
Ag:							
Appling	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Hard to compact	0.50
Ah:							
Appling	50	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Hard to compact	0.50
		Slope	0.16			Slope	0.16
Herndon	50	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Slope	0.16	Hard to compact	0.50
						Slope	0.16

Ak:

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ak:							
Appling	50	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Hard to compact	0.50
Herndon	50	Not limited		Not limited		Somewhat limited Hard to compact	0.50
Al:							
Augusta	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
Roanoke		Not Rated		Not Rated		Not Rated	
Ba:							
Bremo	85	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Bb:							
Bremo	85	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Too clayey Seepage	1.00 0.50 0.21
Bc:							
Bremo	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Bd:							
Bremo	85	Very limited Depth to bedrock Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Too clayey Seepage	1.00 0.50 0.21
Be:							
Buncombe	85	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
Wehadkee		Not Rated		Not Rated		Not Rated	
Ca:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ca:							
Cecil	85	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Cb:							
Cecil	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
Worsham		Not Rated		Not Rated		Not Rated	
Cc:							
Cecil	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
Worsham		Not Rated		Not Rated		Not Rated	
Cd:							
Cecil	85	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Ce:							
Cecil	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
Worsham		Not Rated		Not Rated		Not Rated	
Cf:							
Cecil	85	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Cg:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Cg:							
Cecil	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
Worsham		Not Rated		Not Rated		Not Rated	
Ch:							
Cecil	50	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
Georgeville	50	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Hard to compact	1.00 0.50
Ck:							
Cecil	50	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.16
Georgeville	50	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Hard to compact Slope	0.50 0.16
Cl:							
Cecil	50	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
Georgeville	50	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Hard to compact	0.50
Cm:							
Chewacla	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Wehadkee		Not Rated		Not Rated		Not Rated	
Cn:							
Colfax	85	Very limited Depth to saturated zone Depth to thick cemented pan	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone Seepage	1.00 1.00 0.21

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Cn: Worsham		Not Rated		Not Rated		Not Rated	
Co: Congaree	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.02
Cp: Congaree	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.02
Cr: Creedmoor	85	Very limited Depth to saturated zone Too clayey Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Slope	1.00 0.16	Very limited Too clayey Depth to saturated zone Slope	1.00 0.95 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Cs: Creedmoor	85	Very limited Depth to saturated zone Too clayey Slope	1.00 1.00 0.16	Very limited Depth to saturated zone Slope	1.00 0.16	Very limited Too clayey Depth to saturated zone Slope	1.00 0.95 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Ct: Creedmoor	85	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey Depth to saturated zone	1.00 0.95
Worsham		Not Rated		Not Rated		Not Rated	
Da: Durham	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Fa: Fluvanna	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
Ga:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ga:							
Gullied land	85	Not Rated		Not Rated		Not Rated	
Ha:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Seepage	1.00	Seepage	1.00	Seepage	0.21
		Slope	0.16	Slope	0.16	Slope	0.16
Hb:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
		Seepage	1.00	Seepage	1.00	Seepage	0.21
Ia:							
Iredell	50	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.16	Slope	0.16	Slope	0.16
Zion	30	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.77	Too clayey	1.00
		Too clayey	1.00	Slope	0.16	Depth to bedrock	0.77
		Slope	0.16			Slope	0.16
Ib:							
Iredell	50	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Zion	30	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.77	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.77
La:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Lb:							
Lloyd	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Hard to compact	0.50
						Slope	0.16
Lc:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Lc:							
Lloyd	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Ld:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Le:							
Lloyd	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Hard to compact	0.50
						Slope	0.16
Lf:							
Lloyd	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Lg:							
Louisa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50
Lh:							
Louisa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Slope	0.16	Seepage	0.50
		Slope	0.16			Slope	0.16
Lk:							
Louisa	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50
Li:							
Louisa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00			Seepage	0.50
Lm:							
Louisa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ln:							
Louisa	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Seepage	0.50
Lo:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Lp:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Lr:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	0.16	Slope	0.16	Slope	0.16
Ls:							
Louisburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Ma:							
Madison	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Mb:							
Madison	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Hard to compact	0.50
						Slope	0.16
Mc:							
Madison	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Md:							



# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Md:							
Madison	85	Very limited Slope Too clayey	1.00  0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00  0.50 0.50
Me:							
Madison	85	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.16
Mf:							
Madison	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
Mg:							
Mayodan	85	Somewhat limited Too clayey Slope	0.50 0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Slope	0.50 0.16
Worsham		Not Rated		Not Rated		Not Rated	
Mh:							
Mayodan	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Worsham		Not Rated		Not Rated		Not Rated	
Mk:							
Mecklenburg	85	Not limited		Not limited		Not limited	
Ml:							
Mixed alluvium	85	Not Rated		Not Rated		Not Rated	
Mm:							
Mixed alluvium	85	Not Rated		Not Rated		Not Rated	
Oa:							
Orange	85	Very limited Depth to saturated zone Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.42	Very limited Too clayey Depth to saturated zone Depth to bedrock	1.00 0.86 0.42
Ra:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ra:							
Roanoke	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
Rb:							
Rock land	85	Not Rated		Not Rated		Not Rated	
Sa:							
Seneca	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50			Depth to saturated zone	0.25
Sb:							
Starr	85	Somewhat limited		Somewhat limited		Not limited	
		Flooding	0.40	Flooding	0.40		
Sc:							
Steinsburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
Worsham		Not Rated		Not Rated		Not Rated	
Sd:							
Steinsburg	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.16	Slope	0.16	Slope	0.16
Worsham		Not Rated		Not Rated		Not Rated	
Va:							
Vance	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Slope	0.16
Vb:							
Vance	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
Wa:							
Wadesboro	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Slope	0.16

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Wb:							
Wadesboro	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Wc:							
Wehadkee	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Wd:							
Wickham	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Somewhat limited Too clayey Slope	0.50 0.16
Roanoke		Not Rated		Not Rated		Not Rated	
We:							
Wickham	85	Not limited		Not limited		Somewhat limited Too clayey	0.50
Roanoke		Not Rated		Not Rated		Not Rated	
Wf:							
Wilkes	85	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Wg:							
Wilkes	85	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.16	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.16
Wh:							
Wilkes	85	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Wk:							
Wilkes	85	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50
Wl:							

# Table ENG-6. - Sanitary Facilities - Continued

Prince Edward County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Wl:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Slope	0.16	Too clayey	0.50
		Slope	0.16			Slope	0.16
Wm:							
Wilkes	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
Wn:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50			Too clayey	0.50
Wo:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Ponded soils		Not Rated		Not Rated		Not Rated	